




DIMENSIONS (mm):

Energy Class : **A++**



Bulb type :

Cap type : E27

Finish : White

Light Colour : 865 Daylight

ELECTRICAL DATA:

			RATED	MIN.	MAX.
Lamp Wattage	(W)	:	20.0	-	22.0
Lamp Voltage	(V)	:	220-240	202.0	254.0
Lamp Current	(mA)	:	190		
Power Factor	(λ)	:	0.5		-
Supply Frequency	(Hz)	:	50 / 60		
Energy Consumption per 1000h	(kW/h)	:	20.0		

PHOTOMETRIC DATA:

Luminous Flux	(lm)	:	2550	2295	-
Luminous Efficacy	(lm/W)	:	128		
Correlated Colour Temperature	(K)	:	6500		
Colour Rendering Index	(Ra)	:	80	77	-
Red Colour Rendition	(R ₉)	:	10	0	
Chromaticity Co-ordinates	(x,y)	:	CCx=0.3123 CCy=0.3283	6-step MacAdam Ellipse	

OPERATING CONDITIONS:

Ta Ambient temperature range	(°C)	:	25	-20	40
Tp Point	(°C)	:	85	-	-
Starting Time	(s)	:	-	-	0.5
Warm-up Time to >95% Flux	(s)	:	-	-	1.0
Burning Position		:	Universal		
External Control Gear type		:	None		

LAMP LIFE:

Average Life (L _{70F50})	(h)	:	15,000		
Switching Cycles	(#)	:	50,000		

APPLICATION:

General lighting. Not suitable for use in totally enclosed luminaires.
 Not suitable for use with dimmer switches / electronic timers / electronic switches.
 Complies with IEC62560, IEC62612, IEC62471, IEC61547, IEC61000, EN55015, EN62493.

DATA SHEET

Spec No. : AEC-L-LED-A67-0027903
 Supersedes :
 Page : 1 of 1